




10/16/2011		Location:Napier-IA		Trial: CHT110 (108-112 RM)			
Hybrid	Female GF	Male GF	Yield at 15.5%	H2O%	Y/M Mn	TWT	\$/Acre
DKC62-97			220.8	22.8	9.70		1235.90
6125VT3	HY.UR.	N.w.	212.6	20.7	10.29		1216.26
P1184HR			216.4	22.5	9.62		1215.60
6463RR	HY.UR.	W.UR.	210.5	21.5	9.80		1194.19
DKC61-49			215.2	23.7	9.13		1193.86
6525VT3	HY.	N.w.	208.2	22.1	9.42		1174.17
6125VT2P	HY.UR.	N.w.	204.8	20.7	9.92		1172.45
5976AS3000/GT	HY.EH.	S.E.	203.6	20.1	10.16		1171.99
5976GT	HY.EH.	S.E.	200.2	18.3	10.92		1171.67
6263AS3111	HY.eh.lh.	W.UR.	206.2	21.6	9.53		1168.64
6431VT3	HY.	S.	211.2	24.2	8.73		1163.53
P1018XR			202.0	21.4	9.45		1147.59
6525VT3P	HY.	N.w.	199.5	22.0	9.05		1126.29
6425VT3P	HY.UR.	N.w.	202.4	23.4	8.69		1126.21
N63R-3000GT			198.3	21.6	9.21		1124.62
6463SS	HY.UR.	W.UR.	199.1	22.6	8.82		1117.10
N68B-3111			204.5	25.1	8.15		1115.78
6331VT3	HY.lh.	S.	198.3	22.8	8.72		1110.70
2E694			193.1	21.5	9.00		1096.82
DKC62-13			193.9	22.1	8.77		1093.53
6286SS	HY.UR.	n.E.w.	192.7	22.1	8.74		1086.62
6160VT3P	HY.T.	S.W.e.	190.5	21.1	9.02		1085.15
DKC58-83			187.1	19.6	9.58		1082.63
DKC61-06			188.6	21.4	8.86		1072.01
6286VT3P	HY.UR.	n.E.w.	188.5	21.5	8.84		1069.64
6831RHXT	LH.HY.	S.	193.4	26.2	7.41		1042.51
P0916XR			181.9	20.8	8.77		1039.76
591VT3	HY.	E.N.	179.1	19.9	9.01		1032.97
P1162XR			188.8	26.1	7.26		1018.77
6076GT/CB/LL	HY.EH	N.E.	161.7	21.9	7.43		914.35
Mn			198.4	22.0	9.07		1119.38
LSD(.10)			8.8	0.8	0.53		51.54
#Reps			8	8	8		8
CVErr			5.380	4.276	7.087		5.574

\$/Acre Assumptions = \$6.00/Bushel Selling Price and \$0.05/Point of Moisture over 15.5%.



2011 Relationship Between Yield and Moisture at Napier-IA 110RM



*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.

**Individual results may vary, and performance may vary from location to location and from year to year. This result may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.